

PART OF THE PERFORMANCE PRODUCTS

GROUP

Custom Order Release Form

Instructions:

- **Step 1:** Provide us with as much information as possible by filling out the following form and sketch your drawing on the final page. If you are unsure about any questions below, please give our expert sales associates a call for clarification or simply leave the answer blank.
- **Step 2:** Fax (317-293-4110) or scan and email (sales@crracing.com) this form to our Sales specialist. You may also call 317-293-4100 or 704-799-0955 for help with completing this form.
- **Step 3:** Within 1-2 weeks after submitting your sketch, you will receive a detailed CAD drawing completed by our engineering department. Your sales representative will also provide you with a price estimate at that time. From here, you will be able to make any additional adjustments before agreeing to a final design (Any major changes or additional adjustments could affect your price estimate).
- Step 4: To begin manufacturing, a 100% deposit must be made. You will be charged the full amount before the custom order can be shipped. If you are using a credit card, the card will be charged before the shipping date.
- **Step 5:** Once we have received your email approval on the drawing, your custom radiator will be scheduled to be built. The normal manufacturing process takes up to 4 weeks. Your sales representative will be in contact with you during this time to confirm your shipping method and date of shipping.

Please remember that your specific project may take less or may take more time than normal depending on the complexity of the design, whether specialty components need to be manufactured or purchased, and the time of year and our current workload. Our sales representatives will be able to estimate the timing of your special project.

Step 6: Install your new product and enjoy the quality cooling performance your car deserves! Please feel free to contact us regarding any installation questions.

Name: Scott Swartz	
Address: 54 Clycle Street	
Address: 54 (lyck Street City: Chestrut Hill State: MA Zip: 02467	Phone: <u>617-680-5508</u>
Fax:	
Email: Scott @Swartzfamily.com Print Your Name: J. Scott Swart ?	1.1
Print Your Name: J. Scott Swart ?	_ Date: <u> \ 7 </u>
Authorized Signature:	_ ' '
C& R Racing	C& R Racing South

6950 Guion Road Indianapolis, IN 46268 www.crracing.com | phone: 317.293.4110 | sales fax: 317.328.4691 | email: sales@crracing.com 301 Cayuga Drive Mooresville, NC 28117 www.crracing.com | phone: 704.799.0955 | sales fax: 704.799.1191 | email: sales@crracing.com

For C&R use only	
Drawing Number:	
Sales Contact:	




PART OF THE PERFORMED GROUP Custom Order Release Form

VEHICLE INFORMATION:
Vehicle Specifications: Year: 1016 Make: Specific Model: 5L-C
Vehicle Application: (Select One) Industrial Street Off Road Race Type
Engine Type: Custom built LST
Engine Horsepower: Some track
Turbocharged? YES NO
Supercharged? YES X NO
Transmission Type: Ricardo Transax Le
Fuel Injection or carburetor: Fuel Injected
Do you have air conditioning? YES NO
Will any type of cooler mount be placed in front of the radiator? YES NO NO
*Internal Engine Oil Cooler: Fitting Type: -10 AN -12 AN of radiator is a
Depende 12 17 x 0.75"
Do you have air conditioning? YES NO Only thing in frost will any type of cooler mount be placed in front of the radiator? YES NO Only thing in frost of radiator is a "Internal Engine Oil Cooler: Fitting Type: —10 AN Old A"x 17"x 0.75" *Internal Transmission Oil Cooler: Fitting Type: None *Specify desired location on drawing.
*Internal Power Steering Cooler: Fitting Type: None
*Specify desired location on drawing.
PADIATOR/ADDITIONAL INFORMATION.
RADIATOR/ADDITIONAL INFORMATION:
Are you replacing an existing radiator? YES NO
If yes, will you be able to ship the radiator to C&K: 1E3 X NO
FAN INFORMATION: (USE ONLY IF C&R SUPPLIES FAN/S)
Electric Fan: (Select One) YES NO
Number of Fans: (Select One) 0 1 2 X 3
Shroud: (Select one) YES NO
omount (estatione) 125 [A. 1.0]
RADIATOR DETAILS:
Total Height:13"
Total Milde.
Fill Neck: Small Large > Mid-engine (an. Codant expansion
Fill Neck: Small Large Additional into at end tank in tail. See additional into at end
For C&R use only
Description Manufacture
Drawing Number:
Sales Contact:

Sample drawings are made using square tanks.

If another tank design is desired, please draw with a dotted line and also indicate where clearance may be an issue.





是是,是实际	PART OF THE	PERFORMANCE PRODUCTS	GROUP	Custom Order Release Form	
Example fitting style	es:		Fitting Options:	(See Options Below)	
Example fitting styles: Hose: ¾, 1, 1 1/8, 1 1/4, 1 3/8, 1 1/2, 1 5/8, 1 ¾, 2, Wiggins: -10, -12, -16, -20, -24, -28 -AN Male: -4, -6, -8, -10, -12, -16, -20, -24, -32 -AN Female Port Bung: -3, -4, -6, -8, -10, -12, -20 NPT: 1/8, 1/4, 3/8, 1/2 *Custom fitting sizes are available upon request.		20	Fitting Example: Style: 1 ¾ Hose Location (Front / Back / Top / Bottom): Bottom Location (Left / Right): Left Distance From Bottom: 1.5" Distance From Top: N/A Angle From Horizontal (Side View): 10 Degrees Angle From Vertical (Top View): 65 Degrees		
Location (Left / Right Distance From Botto Distance From Top: Angle From Horizon	ack / Bottom / Top): Back ht): Lett	Top I	Location (Left / Rig Distance From Bot Distance From Top	eack / Bottom / Top): Back ght): Right tom: As close to bottom as possible o: N/A ontal (Side View): 135°	
Stylet: 4 NT Location (Front / Ba Location (Left / Right Distance From Botto Distance From Top:	ack / Bottom / Top): Back ht): Right om: N/A As (lose to top as partial (Side View): 2000	top ossible	FITTING 4: (D Stylet: <u>V4" N</u> Location (Front / Location (Left / R Distance From Bo Distance From To	Back / Bottom / Top): Back Bottom ight): Left ottom: As close to bottom as possible p: N/A contal (Side View): B5°	
Location (Left / Right Distance From Botto Distance From Top:	notch. [1/2" nck / Bottom / Top): Match ht): Right om: Match Evap Match Evap ntal (Side View): 125°	n Empand I	Location (Front / B Location (Left / Rig Distance From Bot Distance From Top	Notch 16" ack / Bottom / Top): Match Evaporate ght): Right tom: Match Evap. : Match Evap ontal (Side View): 135°	
For C&R use only Drawing Number: _ Sales Contact:					